


Entrance doors

Designs, finishes and technical options

Windows4You product collection

House doors









OUR STEEL FRONT DOOR


Insulated steel front doors


DOORS WITH A LEAF THICKNESS OF 72 MM

Our 72 mm steel front door: a galvanised steel skin over an insulated PUR foam core, made to measure for your doorway.

STEEL DOOR · 72 MM

Leaf thickness — 72 mm
Door frame thickness — 90 mm






DOOR U-VALUE (Ud)

Every design	**1.1 W/m²K or better**
Solid designs, standard locks	**0.94 W/m²K or better**

Manufacturer's declaration of performance, reference size.


WINDOWS 4 YOU

STEEL DOOR · 72 MM



Aluminium door frame 90 mm

- The wider the profile, the better the thermal insulation and the greater the rigidity — profile width of 90 mm
- The increased profile width facilitates access to hinges
- Wide polyamide spacers — width of the "warm chamber" up to 34 mm
- A polystyrene thermal insert is inserted into the "warm chamber"
- Simple, modern design
- Veneered or painted to match door leaves



WINDOWS 4 YOU

STEEL DOOR · 72 MM


Metal/wooden door frame 90 mm


The core made of glued laminated timber is covered with 1.2 mm thick veneered galvanised steel sheet sections

- Wood provides excellent thermal insulation and is a very good construction material
- Unfortunately, it is not very resistant to weather conditions.
- Galvanised steel is resistant to external conditions, very rigid, durable and long-lasting.

- The sheet metal cladding protects the wooden core from weather factors, increases rigidity and durability, and improves the load-bearing capacity of hinges and locks

The metal/wood frame combines the stiffness of galvanised steel with the insulation of timber.







WINDOWS 4 YOU

STEEL DOOR · 72 MM

Roto thermal threshold

- Helps seal the threshold zone
- Stabilising water-draining aluminium fin
- Thermal wedge made of high-impact plastic
- Non-slip, grooved threshold cover, which can be replaced
- The cover can be removed to allow the threshold to be screwed to the ground
- Top of the threshold can be easily replaced if scratched
- Profile matches the Clinarite underframe





WINDOWS 4 YOU

STEEL DOOR · 72 MM

3D Hinges — full adjustment in three directions

- A single 3D hinge carries loads of up to 80 kg
- Three hinges per leaf help keep the leaf from sagging.
- Maximum leaf weight of 60–70 kg
- 3D hinges can be adjusted in three planes — thus moving the leaf to the right or left, up, down, and to press or pull it away from the door frame. This makes it easy to adjust the door so it closes evenly against the seals.
- Sleek, modern hinges complement the door design.
- Available in inox and black





WINDOWS 4 YOU

STEEL DOOR · 72 MM


Leaf sheathing

- The leaf is made of 0.6 mm thick galvanised steel sheet. The steel sheet combined with PUR foam gives the leaf its stiffness.
- The surface can be coated with a special laminate, similar to PVC windows or garage doors. The laminate is very durable, scratch and UV resistant. Low-Maintenance: the special coating makes a door very easy to clean with the simplest means.
- The door leaf can also be painted in a RAL colour or with a special metallic textured paint.



PUR foam filling

- PUR foam filling is made using injection molding technology. Excellent adhesion of the foam to the leaf sheathing and to the glazing package gives the structure its rigidity.
- PUR foam provides good thermal insulation.




SLAT LOCK

ROTO QB slat lock

9 bolts extend with one turn of a key



- 12 locking points
- Two-stage pressure function
- Fully adjustable strike
- Provides for tolerance of minor assembly mistakes
- Allows for the installation of an electric door strike





SLAT LOCK

FUHR automatic lock

Full locking of a leaf every time without turning a key

- In the case of the automatic lock, every time the door is shut, it automatically locks at all points without the need for using a key.
- The Fuhr automatic lock has special magnets that extend all bolts after closing the door leaf.
- The leaf is then locked in the upper, central and lower zones and is properly pressed against the door frame. This keeps the door pressed against the seals and also prevents thermal deformation of the leaf.
- To open the door, simply press the handle or turn the key.
- The automatic lock made by the German company FUHR has two clamping elements in the upper and lower zones, i.e. a hook and a bolt.





SLAT LOCK

ROTO ENEO CC motor lock


The motor slat lock is set in motion by an electric motor. The motor is integrated into the lock slat. Doors with automatic locks are only available with a grab hand-rail on the outside and a handle on the inside. Each time a leaf is closed, it activates the motor and causes automatic locking. No need to lock the door with a key.

The door may be opened in several ways:

- From the inside, each press on the handle automatically opens the door
- From the outside, the door can be opened using a fingerprint reader, code keypad or remotely using a smartphone
- You can always open the door mechanically with a key — even when the power is out







SLAT LOCK

Two 3-bolt locks

Lock it twice — standard on our doors

This is the standard lock set on our steel front doors: two independent locks, each with three 12 mm bolts.

The locks are locked and opened independently. A practical solution is to choose cylinders in a single key system — the same key can be used to lock and open both cylinders.



The secondary lock is located in the upper part of a leaf, with three pins with a diameter of 12 mm.




The main lock is located in the central part of a leaf, with three bolts with a diameter of 12 mm

WINDOWS 4 YOU

STEEL DOOR · 72 MM

Available locks

Aluminium frame





Two 3-bolt locks



ROTO QB slat lock




FUHR automatic slat lock



Eneo CC motor slat lock

Metal/wood frame





Two 3-bolt locks



ROTO QB slat lock




Eneo CC motor slat lock

STEEL DOOR · 72 MM

Available size ranges


Size changes in 10 mm increments


Aluminium frame



		Width in mm	Height in mm
	Two 3-bolt locks	**From 849mm to 1149mm**	**From 1965mm to 2215mm**
	ROTO QB slat lock	**From 849mm to 1149mm**	**From 1965mm to 2405mm**
	FUHR automatic slat lock	**From 849mm to 1149mm**	**From 1965mm to 2405mm**
	Eneo CC motor slat lock	**From 849mm to 1149mm**	**From 1965mm to 2215mm**

Metal/wood frame



		Width in mm	Height in mm
	Two 3-bolt locks	**From 811mm to 1111mm**	**From 1946mm to 2216mm**
	ROTO QB slat lock	**From 811mm to 1111mm**	**From 1965mm to 2216mm**
	Eneo CC motor slat lock	**From 811mm to 1111mm**	**From 1965mm to 2216mm**

WINDOWS 4 YOU

Collection overview









No Glass collection



Non-glazed doors can also be a striking feature of a house. Solid leafs can have a variety of surface embossing. Decorative applications can be made of sheet metal in natural colour, black or can be veneered in different colours. A great deal of possibilities are provided by the use of visually attractive accessories such as grab hand-rails, decorative or regular handles. There are, too, non-glazed doors in other collections, but this collection focuses exclusively on this solution.

FLAT DOORS



Wide range of grab hand-rails and handles

NO GLASS COLLECTION - ENGRAVED


U 670


Q 669


Y 673


C 00


D 00


B 00


A 00


M 00

WINDOWS 4 YOU

NO GLASS COLLECTION — WITH APPLICATION


A 04


G 04


B 24


G 24


B 21


F 15

WINDOWS 4 YOU

NO GLASS COLLECTION — DOUBLE COLOUR



GL 53



GL 51

Modern collection



The Modern collection features modern designs with brushed stainless steel or black applications. Doors from the Modern collection are doors with character. They show their true nature in all its glory — the durability and nobility of metal. The wide variety of designs allows you to match the model to any style of a home.

MODERN COLLECTION

All doors in Modern collection can be finished using two types of materials. It can be a stainless steel application with a brushed stainless steel texture or an anodized black aluminium sheet. As a result, the colours of doors are matched to individual needs of Customers.





WINDOWS 4 YOU

MODERN COLLECTION



A 01/3



G 01/3



G 02/3



G 66/10




G 61/56



F 61/56



G 60/56



F 60/56


WINDOWS 4 YOU


MODERN COLLECTION


F 65/10


A 09/3


G 63/10


A 10/3


G 05/3


A 05/3


G 06/3


M 07/1

WINDOWS 4 YOU

MODERN COLLECTION


R 20/19


G 20/19


G 33/2


G 39/35


G 21/21


B 21/21


J 38/35


J 40/35


MODERN COLLECTION



G 15/27



F 15/27



G 16/26



B 22/29



F 58/54



G 58/54



F 59/55



G 59/55

WINDOWS 4 YOU

Simple Elegance collection



The Simple Elegance collection is defined by clean lines and restrained detailing.
Its versatile style suits contemporary and minimalist buildings,
particularly those with large facade glazing.

SIMPLE ELEGANCE COLLECTION



In the Simple Elegance collection doors, the glass is slightly set back from the door leaf surface. The connection is finished with a subtle, almost invisible seal.



THE GLAZING IS FITTED FIRST, THEN PUR FOAM IS INJECTED INTO THE LEAF, SO THE FOAM FILLS THE SPACE AROUND THE GLAZING AND STIFFENS THE LEAF.

WINDOWS 4 YOU

SIMPLE ELEGANCE COLLECTION


V 671/49


Q 669/48


X 672/49


G 625/49


U 670/48


G 678/50

WINDOWS 4 YOU

SIMPLE ELEGANCE COLLECTION



G 603/48



G 600/48



G 629/49

SIMPLE ELEGANCE COLLECTION -WITH APPLICATIONS



G 615/49



G 677/49



G 630/49




G 675/49



G 609/49


SIMPLE ELEGANCE COLLECTION -WITH APPLICATIONS



SIMPLE ELEGANCE COLLECTION -WITH APPLICATIONS



G 676/48



G 613/48



G 604/48



G 605/48



G 611/50



G 679/50



G 680/50

WINDOWS 4 YOU

Diamond collection



A characteristic decorative element in Diamond collection is lacquered glass with polished edges, placed on the surface of a leaf. The sparkle of reflected light makes Diamond application a real "jewelry piece" for the door, giving it a luxurious touch. The achieved effect is eye-catching, but at the same time it is devoid of pretentiousness. Doors from Diamond collection will add up a touch of beauty to façades of modern, minimalist, industrial and vintage houses. They will go well with stone, ceramic, glass or raw concrete cladding

WINDOWS 4 YOU

DIAMOND COLLECTION



External side

Glass panel, 6 mm thick, with polished edges and lacquered fringe. It is the finishing touch to the glazing package, and is attached to the surface of a leaf.





Internal side

On the inside of the leaf, the glazing package is finished with a black anodized aluminium frame.

The glass applications in Diamond door collection and Diamond side-lights are made with the use of the same technology and, therefore, match.

WINDOWS 4 YOU

DIAMOND COLLECTION


GS 17/17


GS 18/17


GS 87/63


1NS 98/65


1KS 95/63


KS 17/17


LS 17/17


1OS 99/66


1MS 96/63

DIAMOND COLLECTION


GS 86/62


1LS 97/64


GS 97/64


GS 88/63


GS 85/61


GS 84/60


GS 89/63


GS 90/63


GS 99/66

WINDOWS 4 YOU

Classic collection



Doors from the Classic collection are characterized by elegant geometry, embossed in the form of lines and rectangles with regular division. Thanks to the use of modern technologies, a very interesting combination of tradition and modernity was created, which, in addition to traditional architecture, can be a very interesting design element in modern projects as well. It is worth noting the possibility of using intense colour.

CLASSIC COLLECTION

Solid elements framed with decorative frames (cassettes) are off-set against the surface of the leaf identically to the glazing, giving a three-dimensional effect. This highlights the intended design effect.









Attention must be paid to the aesthetics of the corner joints of the decorative profiles. Such a precise connection is ensured by special connectors (corner connectors) that are used for positioning and connecting the profiles. The precisely connected frame rests completely on the sash. It prevents any possible "spreading" of the frame profiles in the

The Classic collection design was created thanks to specially designed aluminium trim, veneered identically to door leaves. In selected models, subtle embossing is an additional highlight.

WINDOWS 4 YOU

CLASSIC COLLECTION

Various colour options available



1EK 80/57

All elements in the same colour - standard price without additional charge



1EK 80/57

Door frame in a different colour than the door leaf



1EK 80/57

Decorative frames in a different colour than the colour of the door leaf



1EK 80/57

Decorative frames and cassette in a different colour than the door leaf

WINDOWS 4 YOU

CLASSIC COLLECTION



1FK 81



1FK 81/58



1FK 81/58

WINDOWS 4 YOU

CLASSIC COLLECTION



1GK 82/59



1GK 82/59



1GK 82/59



1GK 82/59



1GK 82/59



1GK 82

CLASSIC COLLECTION

Example of Classic door with side-lights and a letterbox.



WINDOWS 4 YOU

ALUMINIUM SIDE-LIGHTS/TOP-LIGHTS

Sidelights are available in two construction styles



ALUMINIUM STANDARD LIGHT

The Alu 90 light frame uses a multi-chamber aluminium profile up to 90 mm wide with a thermal break. Its wide profile provides insulation and rigidity.



ALUMINIUM DIAMOND LIGHT

The frame of the Alu 90 light is covered from the outside with a 6 mm thick glass pane with polished edges and a lacquered casing. Thanks to the covering of the frames, the light looks as if it was made entirely of glass. The appearance of the Diamond light from the inside is identical to the standard light.

WINDOWS 4 YOU

ALUMINIUM SIDE-LIGHTS/TOP-LIGHTS







WINDOWS 4 YOU

LAMINATE COLOURS



Molet anthracite

Wooden texture

Standard



Anthracite

Orange peel texture

Standard



Quartz anthracite

Orange peel texture

Standard

White


Orange peel texture

Standard

White structure

Orange peel texture


Standard



Bog oak

Wooden texture

Standard



Mahogany

Wooden texture

Standard



Dark nut

Wooden texture

Standard



Brazil nut

Wooden texture

Standard



Grey

Wooden texture

Standard



Wenge

Wooden texture

Standard




Winchester

Wooden texture

Standard

WINDOWS 4 YOU

LAMINATE COLOURS



Golden oak

Wooden texture

Standard



Turner oak

Wooden texture

Standard



Burgundy

Orange peel texture

Extra cost



Cream

Orange peel texture

Extra cost



Black

Orange peel texture

Standard



Green

Orange peel texture

Standard



Umbra grey

Orange peel texture

Standard



Quartz grey

Orange peel texture

Standard



Tropea coffee

Wooden texture

Standard



Amber oak

Wooden texture

Standard



Corten

Smooth texture

Standard

AVAILABLE RAL COLOURS OF PAINTS WITH FINE, SILK-MATT STRUCTURE



WINDOWS 4 YOU

AVAILABLE COLOURS OF STRUCTURAL METALLIC PAINTS



BEIGE LIMESTONE



QUARTZ GLINT



METALLIC EARTH



BROWN BEAR



CAST IRON



MARBLE GREEN



ARCTIC ICE




SILVER GREY



LIGHT GREY



MEDIUM GREY



DARK GREY



METALLIC ASPHALT



NIGHT GREY

WINDOWS 4 YOU

STRAIGHT GRAB HAND-RAILS





Grab hand-rails available in lengths:

- 50 cm
- 100 cm
- 150 cm
- 170 cm

Grab hand-rails available in colours:

- inox
- black

STRAIGHT RECTANGULAR GRAB HAND-RAILS

AXA HOME SECURITY





Grab hand-rails available in lengths:

- 50 cm
- 100 cm
- 150 cm
- 170 cm

Grab hand-rails available in colours:

- inox
- black

STRAIGHT ROUND GRAB HAND-RAILS

AXA HOME SECURITY



GAJA SLIM HANDLE BLIND



HAGA SLIM HANDLE BLIND



ROSETTE + HAGA SLIM HANDLE

AXA HOME SECURITY

WINDOWS 4 YOU

CUSTOMIZED GRAB HAND-RAILS

NO. 17 — 2048 mm



Grab hand-rails dedicated to models:
- GS 101/65
- G 00

NO. 09 — 1600 mm




Grab hand-rails dedicated to models:
- GS 84/60
- GS 87/63
- GS 90/63
- 1KS 95/63
- 1MS 96/63
- 1NS 98/65
- 1OS 99/66
- GS 99/66
- GS 101/65
- G 00
- GV 101
- GX 102/68
- GX 103/68
- GX 104/68

NO. 08 — 1570 mm



Grab hand-rails dedicated to models:
- GS 85/61
- GS 86/62
- G 00
- GV 101
- GX 102/68
- GX 103/68
- GX 104/68

NO. 14 — 1000 mm



Grab hand-rails dedicated to models:
- GB 92
- G 00
- GV 101
- GX 102/68
- GX 103/68
- GX 104/68

NO. 18 — 1400 mm




Grab hand-rails dedicated to models:
- GS 84/60
- GS 99/66
- 1OS 99/66
- GB 100/67
- G 00
- GV 101
- GX 102/68
- GX 103/68
- GX 104/68

WINDOWS 4 YOU

CUSTOMIZED GRAB HAND-RAILS

NO. 10 — 300x830 mm




Grab hand-rails dedicated to models:
- 1IS 88/63
- GS 88/63
- G 00
- GV 101
- GX 103/68
- GX 104/68

NO. 12 — 460x1038 mm



Grab hand-rails dedicated to models:
- 1JS 89/63
- GS 89/63
- G 00

NO. 13 — 170x800x170 mm



Grab hand-rails dedicated to models:
- GS 90/63
- G 00
- GV 101
- GX 104/68

NO. 15 — 830 mm



Grab hand-rails dedicated to models:
- GB 93
- G 00

NO. 11 — 460 mm



Grab hand-rails dedicated to models:
- GS 89/63
- 1JS 89/63
- GB 91
- G 00

NO. 16 — 165 mm



Grab hand-rails dedicated to models:
- GB 94
- G 00

HANDLE

ROYAL HANDLE



colours available:

inox black

AXA HOME SECURITY

IMPERIAL HANDLE



colours available:

inox black

AXA HOME SECURITY

VERONA HANDLE



colours available:

black

AXA HOME SECURITY

WINDOWS 4 YOU

HANDLE

HAGA HANDLE



colours available:

inox black

AXA HOME/SECURITY

RIVA HANDLE



colours available:

inox

AXA HOME/SECURITY

SOLID HANDLE



colours available:

inox black

AXA HOME/SECURITY

NIAGARA HANDLE



colours available:

inox old gold

AXA HOME/SECURITY

NIAGARA HANDLE AND GRAB HAND-RAIL



colours available:

inox

AXA HOME/SECURITY

WINDOWS 4 YOU

CYLINDERS



THE CYLINDERS COME IN THREE COLOURS

WILKA®
SCHLIESSTECHNIK

WINDOWS 4 YOU

CONTACT

Windows4You

01782 698 040
quotes@window4you.co.uk
www.window4you.co.uk

Unit 6, Dalewood Road
Lymedale Business Park
Newcastle-under-Lyme, ST5 9QH